

SHOWER BASES

BATHS

SHOWER SCREENS



2026 RANGE

oceano.com.au

oceano
BATHROOM



oceano BATHROOM

At Oceano Bathroom, we believe great spaces start with thoughtful design. Our collection brings together refined styling, durable construction and practical functionality, crafted to elevate everyday living. From freestanding baths and shower bases to premium shower screen solutions, every product is engineered for performance and built for the way Australians live.

Designed in Australia and manufactured to meet strict Australian Standards, every product is made with premium materials, practical installation features and long-term resilience in mind. Our exclusive designs provide a distinctive style and product advantage, offering solutions that balance modern aesthetics with practical performance. With a focus on precision manufacturing and installer-friendly engineering, Oceano Bathroom is trusted by builders, plumbers and industry professionals across the country.

We continue to innovate with purpose, shaping products that deliver confidence, comfort and long-term reliability. Welcome — we look forward to helping you create spaces that inspire.

Oceano Bathroom — Design. Integrity. Performance.



CONTENTS

COMPLETE 2026 RANGE

Shower Bases	■ ECO.....	06
	■ Urban MKII.....	10
	■ Metro.....	11
	■ Elite.....	12
	■ Louve.....	13
	■ Profile.....	14

Baths	■ Eco.....	16
	■ Luka.....	20
	■ Lunus.....	22
	■ Nava.....	24
	■ Stria.....	26
	■ Adore.....	30
	■ Oasis.....	34
	■ Studio.....	36
	■ Elite.....	38
	■ Metro.....	38
	■ Louve.....	40
	■ Civic.....	40
	■ Urban.....	42


Shower Screens	■ Louve Square Pivot.....	44
	■ Louve Square Slider.....	46
	■ Louve Neo Angle Pivot.....	48
	■ Louve Curved.....	50
	■ Urban Slider.....	52
	■ Urban Bath Panel.....	54
	■ Profile.....	55
	■ Profile Walk-in.....	56

Popup Waste	■ Bath Overflow Waste.....	57
--------------------	----------------------------	----


Terms of Conditions	■ Returns & Warranty.....	58
----------------------------	---------------------------	----

Stonelite™ ECO


- Cement based tile adhesive or mortar bed installation
- Reinforced around waste
- Low profile 50mm high
- Stonelite™ Solid Cast Construction
- 10mm wide tile flange on all four sides
- Square Chrome Grate included
- Matte Black and White Grates optional
- Easy installation
- Design registered
- Bases can be rotated to allow for alternate waste positions




EC820R
820x820 Rear Outlet




EC900R
900x900 Rear Outlet




EC1000R
1000x1000 Rear Outlet




EC829R
820x900 Rear Outlet




EC982R
900x820 Rear Outlet




EC9010R
900x1000 Rear Outlet




EC1090R
1000x900 Rear Outlet




EC9012R
900x1200 Rear Outlet




EC1210R
1200x1000 Rear Outlet



EC8212R
820x1200 Rear Outlet




EC1282R
1200x820 Rear Outlet



EC1082R
1000x820 Rear Outlet

All nominated sizes are approximate and slight variations may occur in the manufacturing process.


SHOWER BASES



EBG-CH
ECO Chrome Grate




EBG-MB
ECO Matte Black Grate




EBG-WH
ECO White Grate


Stonelite™ ECO




EC1290R
1200x900 Rear Outlet




EC1500R
1500x900 Rear Outlet




EC1800R
1800x900 Rear Outlet




EC820C
820x820 Centre Outlet




EC900C
900x900 Centre Outlet




EC1000C
1000x1000 Centre Outlet




EC1290C
1200x900 Centre Outlet




EC1500C
1500x900 Centre Outlet




EC914NR
914x914 Neo Corner Rear Outlet



EC1000NR
1000x1000 Neo Corner Rear Outlet



EC900CR
900x900 Curved Corner Rear Outlet



EC1000CR
1000x1000 Curved Corner Rear Outlet

SHOWER BASES




Shower Screen: Louve Neo Angle Pivot
Shower Base: ECO 1000 Neo Corner


2026
RANGE

Stonelite™ Urban MKII


- Cement based tile adhesive or mortar bed installation
- Low Profile 40mm high
- Stonelite™ Solid Cast Construction
- 10mm wide tile flange on all four sides
- Sanitary grade gelcoat surface
- Stainless Steel Channel Grate included




2UR900R
900x900 Rear Outlet



2UR1000R
1000x1000 Rear Outlet



2UR1290R
1200x900 Rear Outlet



2UR1500R
1500x900 Rear Outlet




Stainless Steel Grate detail




Stonelite™ Metro


- Cement based tile adhesive or mortar bed installation
- Low Profile 40mm high
- Stonelite™ Solid Cast Construction
- 10mm wide tile flange on all four sides
- Sanitary grade gelcoat surface
- White Stonelite™ Grate included
- Smooth seamless design
- Design registered
- Bases can be rotated to allow for alternate waste positions




MT900R
900x900 Rear Outlet




MT1000R
1000x1000 Rear Outlet



MT1290R
1200x900 Rear Outlet




MT1500R
1500x900 Rear Outlet




MT900C
900x900 Centre Outlet

Waste Closeup




Stonelite™ Elite


- Cement based tile adhesive or mortar bed installation
- Low Profile 40mm high
- Stonelite™ Solid Cast Construction
- Sanitary grade gelcoat surface
- Stainless Steel Channel Grate included
- Matte Black and White Grates optional
- Smooth seamless design
- Design registered
- Bases can be rotated to allow for alternate waste positions




EL820R
820x820 Rear Outlet




EL900R
900x900 Rear Outlet




EL1000R
1000x1000 Rear Outlet




EL1290R
1200x900 Rear Outlet




EL9012R
900x1200 Rear Outlet



EL9015R
900x1500 Rear Outlet




EL900C
900x900 Centre Outlet



EL1290C
1200x900 Centre Outlet



ELSG-CH
Elite Chrome Grate




ELSG-MB
Elite Matte Black Grate




ELSG-WH
Elite White Grate

SMC Louve

- Cement based tile adhesive or mortar bed or silicone installation
- SMC (Sheet Moulded Compound)
- Low Profile 45mm high
- Light weight / Strength
- 9mm wide tile flange on all four sides
- Chrome Dome Waste Cover included
- Modern design
- Easy installation
- Design registered
- Bases can be rotated to allow for alternate waste positions



SAM900
900x900 Rear Outlet




SAM1290
1200x900 Rear Outlet




Chrome Dome Waste Cover detail

Profile Shower Base


- Sanitary grade gelcoat surface
- Stonelite* solid cast construction
- Conforms to 'ABCB Liveable Housing Design Standard part 5.2 when installed with Zero threshold'
- Waste & Stainless Steel Grate included
- Matte Black and White grate option available
- Cement based tile adhesive or mortar bed installation
- Profile 40mm (Including 10mm tile flange)




PR900R
3 Tile Flange
900x900 Rear Outlet




PR900LHR
Left-Hand Tile Flange
900x900 Rear Outlet




PR900RHR
Right-Hand Tile Flange
900x900 Rear Outlet




PR1000R
3 Tile Flange
1000x1000 Rear Outlet




PR1000LHR
Left-Hand Tile Flange
1000x1000 Rear Outlet




PR1000RHR
Right-Hand Tile Flange
1000x1000 Rear Outlet




PR1290R
3 Tile Flange
1200x900 Rear Outlet




PR1290LHR
Left-Hand Tile Flange
1200x900 Rear Outlet



PR1290RHR
Right-Hand Tile Flange
1200x900 Rear Outlet




PR9012LHR
Left-Hand Tile Flange
900x1200 Rear Outlet



PR9012RHR
Right-Hand Tile Flange
900x1200 Rear Outlet



**POLISHED STAINLESS
STEEL GRATE - PRSG**



**BLACK STAINLESS
STEEL GRATE - PRSMB**



**WHITE STAINLESS STEEL
GRATE- PRSWH**

ECO

BACK TO WALL - LEFT & RIGHT HAND



Back to wall option shown

“back to wall, left and right hand options to suit corner installation...”

SIZE & LAYOUT OPTIONS


- Back to wall, LH & RH layouts
- 9 size & layout options
- All baths have a non overflow option
- **Back to wall options - overflow**
 - ECO - ECF1470BTW 1400 x 700 x 570 h
 - ECO - ECF1573BTW 1500 x 730 x 570 h
 - ECO - ECF1775BTW 1700 x 750 x 570 h
- **Back to wall options - non overflow**
 - ECO - NO-ECF1470BTW 1400 x 700 x 570 h
 - ECO - NO-ECF1573BTW 1500 x 730 x 570 h
 - ECO - NO-ECF1775BTW 1700 x 750 x 570 h
- **Left hand options - overflow**
 - ECO - ECL1470LH 1400 x 700 x 570 h
 - ECO - ECL1573LH 1500 x 730 x 570 h
 - ECO - ECL1775LH 1700 x 750 x 570 h
- **Left hand options - non overflow**
 - ECO - NO-ECL1470LH 1400 x 700 x 570 h
 - ECO - NO-ECL1573LH 1500 x 730 x 570 h
 - ECO - NO-ECL1775LH 1700 x 750 x 570 h
- **Right hand options - overflow**
 - ECO - ECR1470RH 1400 x 700 x 570 h
 - ECO - ECR1573RH 1500 x 730 x 570 h
 - ECO - ECR1775RH 1700 x 750 x 570 h
- **Right hand options - non overflow**
 - ECO - NO-ECR1470RH 1400 x 700 x 570 h
 - ECO - NO-ECR1573RH 1500 x 730 x 570 h
 - ECO - NO-ECR1775RH 1700 x 750 x 570 h

FEATURES & BENEFITS

- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Back to wall and left hand right hand options to suit corner installations
- Tested to AS1172.5
- A Pop up/Pull out waste outlet is included in all Overflow baths



Composite reinforcement layer with acrylic bonding resin



Back to wall option



Left hand option



Right hand option

Full technical specs over the page >>

2026 RANGE



ECO

BACK TO WALL - LEFT & RIGHT HAND



BACK TO WALL OPTION





ECO ECF1470BTW (Overflow)
ECO NO-ECF1470BTW (Non overflow)
 1400 x 700 x 570



ECO ECF1573BTW (Overflow)
ECO NO-ECF1573BTW (Non Overflow)
 1500 x 730 x 570





ECO ECF1775BTW (Overflow)
ECO NO-ECF1775BTW (Non Overflow)
 1700 x 750 x 570





LEFT HAND OPTION





ECO ECL1470LH (Overflow)
ECO NO-ECL1470LH (Non overflow)
 1400 x 700 x 570



ECO ECL1573LH (Overflow)
ECO NO-ECL1573LH (Non Overflow)
 1500 x 730 x 570



ECO ECL1775LH (Overflow)
ECO NO-ECL1775LH (Non Overflow)
 1700 x 750 x 570



“layouts and sizes to suit everyone’s modern bathroom upgrade...”









RIGHT HAND OPTION



ECO ECR1470RH (Overflow)
ECO NO-ECR1470RH (Non overflow)
1400 x 700 x 570

ECO ECR1573RH (Overflow)
ECO NO-ECR1573RH (Non Overflow)
1500 x 730 x 570

ECO ECR1775RH (Overflow)
ECO NO-ECR1775RH (Non Overflow)
1700 x 750 x 570



LUKA

FREESTANDING



*“perfectly balanced
free standing bath...”*

SIZE & LAYOUT OPTIONS

- Freestanding layout
- 2 size options
- All baths have a non overflow option
- **Freestanding Option - overflow**
 - LUKA - LUK1573S 1500 x 730 x 630
 - LUKA - LUK1773S 1700 x 730 x 630
- **Freestanding Option - non overflow**
 - LUKA - NO-LUK1573S 1500 x 730 x 630
 - LUKA - NO-LUK1773S 1700 x 730 x 630

FEATURES & BENEFITS

- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5
- A Pop up/Pull out waste outlet is included in all Overflow baths







FREESTANDING OPTION



LUKA - LUK1573S (Overflow)
LUKA - NO-LUK1573S (Non overflow)
1500 x 730 x 630

LUKA - LUK1773S (Overflow)
LUKA - NO-LUK1773S (Non overflow)
1700 x 730 x 630



LUNUS

BACK TO WALL OPTION



*“back to wall bath
with tapware &
accessory ledge...”*

SIZE & LAYOUT OPTIONS

- Back to wall layout
- 2 size options
- All baths have a non overflow option
- **Back to wall options - overflow**
 - LUNUS - LUN1573BTW 1500 x 730 x 585 h
 - LUNUS - LUN1775BTW 1700 x 750 x 585 h
- **Back to wall options - non overflow**
 - LUNUS - NO-LUN1573BTW 1500 x 730 x 585 h
 - LUNUS - NO-LUN1775BTW 1700 x 750 x 585 h

FEATURES & BENEFITS



- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5
- A Pop up/Pull out waste outlet is included in all Overflow baths





BACK TO WALL OPTION



LUNUS LUN1573BTW (Overflow)
LUNUS NO-LUN1573BTW (Non overflow)
1500 x 730 x 585 h



LUNUS LUN1775BTW (Overflow)
LUNUS NO-LUN1775BTW (Non overflow)
1700 x 750 x 585 h



NAVA

FREESTANDING OPTION



“stand alone classic shape
with slim edge technology...”

SIZE & LAYOUT OPTIONS

- Freestanding layout
- 3 size options
- All baths have a non overflow option

■ Freestanding options - overflow

NAVA - NAV1470S	1400 x 700 x 570 h
NAVA - NAV1573S	1500 x 730 x 570 h
NAVA - NAV1775S	1700 x 750 x 570 h

■ Freestanding options - non overflow

NAVA - NO-NAV1470S	1400 x 700 x 570 h
NAVA - NO-NAV1573S	1500 x 730 x 570 h
NAVA - NO-NAV1775S	1700 x 750 x 570 h

FEATURES & BENEFITS

- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5
- A Pop up/Pull out waste outlet is included in all Overflow baths









FREESTANDING OPTION



NAVA - NAV1470S (Overflow)
Nava - NO-NAV1470S (Non overflow)
1400 x 700 x 570 h

NAVA NAV1573S (Overflow)
NAVA NO-NAV1573S (Non overflow)
1500 x 730 x 570 h

NAVA NAV1775S (Overflow)
NAVA NO-NAV1775S (Non overflow)
1700 x 750 x 570 h



STRIA

FLUTED BATH



Freestanding option

SIZE & LAYOUT OPTIONS

- Back to wall, LH,RH and Freestanding layouts
- 8 size & layout options
- OCG25-70WH Pop up/pull out white waste outlet included.
- **Back to wall options - overflow**

SR1575BTW	1500 x 750 x 585 h	Gloss White
SR1780BTW	1700 x 800 x 585 h	Gloss White
- **Left hand options - overflow**

SR1575LH	1500 x 750 x 585 h	Gloss White
SR1780LH	1700 x 800 x 585 h	Gloss White
- **Right hand options - overflow**

SR1575RH	1500 x 750 x 585 h	Gloss White
SR1780RH	1700 x 800 x 585 h	Gloss White
- **Freestanding options - overflow**

SR1575S	1500 x 750 x 585 h	Gloss White
SR1780S	1700 x 800 x 585 h	Gloss White

FEATURES & BENEFITS

- Tested & Conforms to AS1172.5 Standards. Meets Australian quality and performance benchmarks.
- Lucite Sanitary-Grade Acrylic (Crosslinked Structure) Exceptional strength and durability with a high-gloss finish that resists yellowing, stains and scratches.
- Integrated Overflow with Approved Flow Rate. Built-in overflow prevents overflowing while ensuring efficient and compliant drainage.
- UV-Resistant Surface. Maintains its brilliance and colour even under prolonged light exposure.
- Thermal Shock Resistant. Withstands sudden temperature changes without warping or cracking.
- Antibacterial Properties. Hygienic surface inhibits bacterial growth.
- Heavy-Duty Galvanised Steel Frame. Provides maximum support and long-term structural stability.
- 18mm Base Board with Timber Strengthened Sides. Reinforced construction ensures extra base strength and durability.
- OCG25-70WH Pop up/pull out white waste outlet included.



STRIA


FLUTED BATH

BACK TO WALL OPTION




SR1575BTW

1500 x 750 x 585 H Gloss White



SR1780BTW

1700 x 800 x 585 H Gloss White




LEFT HAND OPTION




SR1575LH

1500 x 750 x 585 H Gloss White



SR1780LH

1700 x 800 x 585 H Gloss White






RIGHT HAND OPTION




SR1575RH

1500 x 750 x 585 H Gloss White



SR1780RH

1700 x 800 x 585 H Gloss White




FREESTANDING OPTION




SR1575S

1500 x 750 x 585 H Gloss White



SR1780S

1700 x 800 x 585 H Gloss White



ADORE

BATH. BTW, LH, RH & FREESTANDING



Back to Wall option

SIZE & LAYOUT OPTIONS

- Back to wall, LH,RH and Freestanding layouts
- 12 size & layout options
- OCG25-70WH (Gloss) OR OCG25-70MW (Matte)
Pop up/pull out white waste outlet included.

■ Back to wall options - overflow

AD1575BTW	1500 x 730 x 580 h	Gloss White
AD1575BTW-MW	1500 x 730 x 580 h	Matte White
AD1775BTW	1700 x 750 x 580 h	Gloss White
AD1775BTW-MW	1700 x 750 x 580 h	Matte White
AD1880BTW	1700 x 800 x 580 h	Gloss White

■ Left hand options - overflow

AD1575LH	1500 x 730 x 580 h	Gloss White
AD1575LH-MW	1500 x 730 x 580 h	Matte White
AD1775LH	1700 x 750 x 580 h	Gloss White
AD1775LH-MW	1700 x 750 x 580 h	Matte White
AD1880LH	1800 x 800 x 580 h	Gloss White

■ Right hand options - overflow

AD1575RH	1500 x 730 x 580 h	Gloss White
AD1575RH-MW	1500 x 730 x 580 h	Matte White
AD1775RH	1700 x 750 x 580 h	Gloss White
AD1775RH-MW	1700 x 750 x 580 h	Matte White
AD1880RH	1800 x 800 x 580 h	Gloss White

■ Freestanding options - overflow

AD1575S	1500 x 730 x 580 h	Gloss White
AD1575S-MW	1500 x 730 x 580 h	Matte White
AD1775S	1700 x 750 x 580 h	Gloss White
AD1775S-MW	1700 x 750 x 580 h	Matte White
AD1880S	1800 x 800 x 580 h	Gloss White

FEATURES & BENEFITS

- Tested & Conforms to AS1172.5 Standards.
Meets Australian quality and performance benchmarks.
- Lucite Sanitary-Grade Acrylic (Crosslinked Structure).
Exceptional strength & durability with a high-gloss finish that resists yellowing, stains & scratches.
- Integrated Overflow with Approved Flow Rate.
Built-in overflow prevents overfilling while ensuring efficient and compliant drainage.
- UV-Resistant Surface. Maintains its brilliance and colour even under prolonged light exposure.
- Thermal Shock Resistant. Withstands sudden temperature changes without warping or cracking.
- Antibacterial Properties. Hygienic surface inhibits bacterial growth.
- Heavy-Duty Galvanised Steel Frame. Provides maximum support and long-term structural stability.
- 18mm Base Board with Timber Strengthened Sides.
Reinforced construction ensures extra base strength and durability.



Freestanding option



Left hand option



Right hand option

Full technical specs
over the page >>

2026
RANGE

31

ADORE


BATH. BTW, LH, RH & FREESTANDING

BACK TO WALL OPTION




AD1575BTW & AD1575BTW-MW

1500 x 730 x 580 h Gloss & Matte White




AD1775BTW & AD1775BTW-MW

1700 x 750 x 580 h Gloss & Matte White



AD1880BTW

1800 x 800 x 580 h Gloss White




LEFT HAND OPTION




AD1575LH & AD1575LH-MW

1500 x 730 x 580 h Gloss & Matte White




AD1775LH & AD1775LH-MW

1700 x 750 x 580 h Gloss & Matte White



AD1880LH

1800 x 800 x 580 h Gloss White





RIGHT HAND OPTION



AD1575RH & AD1575RH-MW




1500 x 730 x 580 h Gloss & Matte White

AD1775RH & AD1775RH-MW

1700 x 750 x 580 h Gloss & Matte White

AD1880RH

1800 x 800 x 580 h Gloss White



FREESTANDING OPTION



AD1575S & AD1575S-MW




1500 x 730 x 580 h Gloss & Matte White

AD1775S & AD1775S-MW

1700 x 750 x 580 h Gloss & Matte White

AD1880S

1800 x 800 x 580 h Gloss White



OASIS

FREESTANDING OPTION




SIZE & LAYOUT OPTIONS

- Freestanding layout
- 1 size options
- Includes Pop up/Pull out waste outlet
- **Freestanding options - overflow**
OAS1780S 1700 x 800 x 585 h

FEATURES & BENEFITS

- Tested & Certified to AS1172.5 Standards
- Lucite Sanitary-Grade Acrylic (Crosslinked Structure)
- Integrated Overflow with Approved Flow Rate
- UV-Resistant Surface
- Thermal Shock Resistant
- Antibacterial Properties
- Heavy-Duty Galvanised Steel Frame
- 18mm Base Board with Timber Strengthened Sides
- Includes Pop up/Pull out waste outlet



STUDIO

FREESTANDING OPTION



*“ distinctively sharp
square edged design...”*

SIZE & LAYOUT OPTIONS

- Freestanding & Back to wall layout
- 3 size options
- All baths have a non overflow option
- **Freestanding options - overflow**
 - Studio - STU1470S 1400 x 700 x 585 h
 - Studio - STU1575S 1500 x 750 x 585 h
 - Studio - STU1775S 1700 x 750 x 585 h
- **Freestanding options - non overflow**
 - Studio - NO-STU1470S 1400 x 700 x 585 h
 - Studio - NO-STU1575S 1500 x 750 x 585 h
 - Studio - NO-STU1775S 1700 x 750 x 585 h

FEATURES & BENEFITS







- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5
- A Pop up/Pull out waste outlet is included in all Overflow baths



Studio STU1470S (Overflow)
Studio NO-STU1470S (Non overflow)
1400 x 700 x 585 h

Studio STU1575S (Overflow)
Studio NO-STU1575S (Non overflow)
1500 x 750 x 585 h


Studio STU1775S (Overflow)
Studio NO-STU1775S (Non overflow)
1700 x 750 x 585 h




Elite (Island)

The Elite island baths are large and rectangular in shape and offer ample bathing space. They are designed as double ended baths allowing the user to bathe from either end.

- Island style bath
- Rectangular in shape
- Manufactured from sanitary grade acrylic
- 15mm Low Profile Matte Finish
- 35mm Standard Profile Gloss Finish
- 40mm plug and waste not included



STANDARD PROFILE 35MM GLOSS – IEB1750
1700x750x415




LOW PROFILE PROFILE 15MM MATTE – IEB1750MS
1700x750x415


Metro (Island)

The Metro island bath offers classic internal rounded lines and comfortable bathing space.

- Island style bath
- Manufactured from sanitary grade acrylic
- 15mm Low Profile Matte Finish
- 35mm Standard Profile Gloss Finish
- 40mm plug and waste not included



STANDARD PROFILE 35MM GLOSS – IMB1750
1700x750x415



LOW PROFILE 15MM PROFILE MATTE – IMB1750MS
1700x750x415




Elite Gloss Finish Standard Profile Lip – 35mm






Metro Matte Finish Low Profile Lip – 15mm

Louve (Inset)



- 4 sided tile flange
- Suitable for inbuilt installation
- Sanitary grade acrylic
- 40mm plug and waste not included
- Tested to AS1172.5





RD1400
1400 x 700 x 455



RD1525
1525x745x435





RD1675
1675x745x435





RD1800
1800x800x490

Civic (Inset)



- 4 sided tile flange
- Arm rests
- Soap holders
- Suitable for inbuilt installation
- Sanitary grade acrylic
- Anti-slip pattern surface
- Suitable for shower over bath
- 40mm plug and waste not included



CB1500
1500x720x420



CB1675
1675x735x420



CB1800
1800x820x490




Louve Gloss Finish Standard Profile Lip 35mm




Civic Gloss Finish

Urban (Inset)


- 4 sided tile flange
- Suitable for inbuilt installation
- Sanitary grade acrylic
- Anti-slip pattern surface
- Suitable for shower over bath
- 40mm plug and waste not included



UB1500
1525x800x470



UB1675
1675x800x470



UB1800
1800x800x500



Urban Gloss Finish




Louve Square Pivot

- Magnetic door seals
- Semi-frameless design
- 6mm glass
- Adjustable for out-of-square walls
- Reversible for right or left hand application
- Matte Black or Chrome finish
- Suitable for both Stonelite™ showerbase or tiled floor installation
- 2 metre high shower screens
- Front only option available
- Mix and match sections to suit your requirements
- Australian Standards AS/NZ2208, AS1288



Code Matte Black	Code Chrome	Style	Size	Range (mm)
LS82FMB	LS82FC	Front	820x2000	750 – 810
LS82RMB	LS82RC	Return	820x2000	770 – 800
LS90FMB	LS90FC	Front	900x2000	835 – 890
LS90RMB	LS90RC	Return	900x2000	850 – 885
LS10FMB	LS10FC	Front	1000x2000	935 – 990
LS10RMB	LS10RC	Return	1000x2000	950 – 985
LS12FMB	LS12FC	Front	1200x2000	1145 – 1195
LS12RMB	LS12RC	Return	1200x2000	1150 – 1185
LS15FMB	LS15FC	Front	1480x2000	1445 – 1495

Size	Width (A)	Depth (B)	Opening (C)	Fixed (D)	Height (H)
820x820	750 – 810	770 – 800	500	171	2000
900x900	835 – 890	850 – 885	530	224	2000
1000x1000	935 – 990	950 – 985	530	324	2000
1200x900	1145 – 1195	850 – 885	530	534	2000
900x1200	835 – 890	1150 – 1185	530	224	2000
1500x900	1445 – 1495	850 – 885	530	804	2000



SHOWER SCREENS



Shower Screen: 1200x900 Matte Black Louve Front and return
Shower Base: 900x1200 ECO with black grate



2026
RANGE

Louve Square Slider

- Magnetic door seals
- Adjustable for out-of-square walls
- Sliding doors
- Semi-frameless design
- 6mm Glass
- Matte Black or Chrome finish
- Suitable for both Stonelite™ showerbase or tiled floor installation
- 2 metre high shower screens
- Australian Standards AS/NZ2208, AS1288

Code Matte Black	Code Chrome	Style	Size	Range (mm)
LS90FSMB	LS90FSC	Doors	900x2000	855 – 875
LS90RSMB	LS90RSC	Panels	900x2000	855 – 875
LS100FSMB	LS100FSC	Doors	1000x2000	955 – 970
LS100RSMB	LS100RSC	Panels	1000x2000	955 – 970

Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
900	855 – 875	855 – 875	372	470	2000
1000	955 – 970	955 – 970	432	540	2000



SHOWER SCREENS



Shower Screen: 900 Louve Square Slider Matte Black

2026
RANGE



Louve Neo Angle Pivot

- Magnetic door seals
- Semi-frameless design
- 6mm Glass
- Adjustable for out-of-square walls
- Reversible for right or left hand application
- Chrome finish
- Suitable for both Stonelite™ showerbase or tiled floor installation
- 2 metre high shower screens
- Australian Standards AS/NZ2208, AS1288



Code	Style	Size	Range (mm)
LS90NEOFC	Front	900x2000	835 – 895
LS90NEORC	Return		
LS100NEOFC	Front	1000x2000	935 – 995
LS100NEORC	Return		

Size	Width (A)	Depth (B)	Fixed (C)	Front (D)	Opening (E)	Height (H)
900	835 – 895	835 – 895	375 – 400	650 – 700	445	2000
1000	935 – 995	935 – 995	375 – 400	750 – 810	500	2000



SHOWER SCREENS



Shower Screen: 900 Louve Neo Angle
Shower Base: 900 ECO Neo Angle

2026
RANGE



Louve Curved Slider

- Magnetic door seals
- Adjustable for out-of-square walls
- Sliding doors
- Semi-frameless design
- 6mm Glass
- Chrome finish
- Suitable for both Stonelite™ showerbase or tiled floor installation
- 2 metre high shower screens
- Australian Standards AS/NZ2208, AS1288



Code	Style	Size	Range (mm)
LS900CDC	Front	900x900x2000	855 – 875
LS1000CDC	Front	1000x1000x2000	955 – 970

Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
900	855 – 875	855 – 875	310	518	2000
1000	955 – 970	955 – 970	410	518	2000



SHOWER SCREENS



Shower Screen: 900 Louve Curved
Shower Base: 900 ECO Curved



Urban Slider

- 2 metre high shower screens
- Adjustable for out-of-square walls
- Reversible left or right hand application
- Matte Black or Chrome finish
- Mirror door option in Chrome finish only
- Suitable for Stonelite™ shower base and tile floor installation
- Adjustable size range
- Front only option available
- Australian Standards AS/NZ2208, AS1288

Code Matte Black	Code Chrome	Style	Size	Range (mm)
UR90RSMB	UR90RSC	Return Panel	900x2000	855 – 880
UR12FSMB	UR12FSC	Front	1200x2000	1162 – 1182
	MTSPS115C	Chrome Front Mirror Door	1200x2000	1125 – 1150
USWDMB	USWD	Wall Bracket front only (<i>alcove</i>)	1200x2000	1155 – 1170



Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
1200x900	1155 – 1180	855 – 880	550	460	2000



SHOWER SCREENS



Shower Screen: *Urban Slider Matte Black*
Shower Base: *900x1200 Elite*

Urban Bath Panel

- 1.6 metre high shower screens
- Adjustable for out-of-square walls
- Reversible left or right hand application
- Hinges outward
- Chrome finish
- Australian Standards AS/NZ2208, AS1288

Code	Style	Size	Range (mm)
URBS900C	Chrome Hinged Panel	900x1600	900 – 920



Shower Screen: Urban Bath Panel
Bath: Urban 1675

Profile Shower Screen

9 Size Combinations

Engineered for Performance, Designed for Style.

Premium Safety & Compliance

8mm Toughened Safety Glass - Tested & certified to Australian Standards (AS/NZS 2208) for maximum strength and durability.

Australian Designed - Purpose-built to meet local standards and bathroom conditions.

Advanced Surface Protection

Dual-Sided Easy Clean Coating - Repels soap, water, and residue on both sides of the glass, making cleaning faster and easier.

Seamless Design & Installation

Reversible & Adjustable - Suits left or right-hand installation, with adjustment to accommodate out-of-square walls.

Zero-Threshold Entry (Optional) - Creates a flush, step-free entry for a sleek look and improved accessibility.

Water-Tight Performance


Magnetic Door Seals - Provide a secure, watertight closure.

Precision-Engineered Channels - Direct water back into the shower, reducing leakage.

Style & Assurance

Minimalist, Modern Design - Enhances any bathroom space.

Backed by Oceano Warranty - Confidence in quality, safety, and long-lasting performance.



CODE CHROME	STYLE	Size	Range	Weight
PRS90FC	Front	900 x 2,000	810 - 890	42 kg
PRS10FC	Front	1,000 x 2,000	910 - 990	46 kg
PRS12FC	Front	1,200 x 2,000	1120 - 1200	54 kg
PRS90RC	Return	900 x 2,000	845 - 865	36 kg
PRS10RC	Return	1,000 x 2,000	945 - 965	40 kg
PRS12RC	Return	1,200 x 2,000	1145 - 1165	48 kg

Size	Width A	Depth B	Opening C	Fixed D	Height H
900 x 900	810-890	845-865	510-590	246	2000
900 X 1000	810-890	945-965	510-590	246	2000
900 X 1200	810-890	1145-1165	510-590	246	2000
1000 X 900	910-990	845-865	510-590	346	2000
1000 X 1000	910-990	945-965	510-590	346	2000
1000 X 1200	910-990	1145-1165	510-590	346	2000
1200 X 900	1120-1200	845-865	610-690	456	2000
1200 X 1000	1120-1200	945-965	610-690	456	2000
1200 X 1200	1120-1200	1145-1165	610-690	456	2000



PROFILE

WALK IN SHOWER SCREEN




- Engineered for Performance, Designed for Style.
- Premium Safety & Compliance 8mm Toughened Safety Glass - Tested & certified to Australian Standards (AS/NZS 2208) for maximum strength and durability. Australian Designed - Purpose-built to meet local standards and bathroom conditions.
- Advanced Surface Protection Dual-Sided Easy Clean Coating - Repels soap, water, and residue on both sides of the glass, making cleaning faster and easier.
- Style & Assurance Minimalist, Modern Design - Enhances any bathroom space. Backed by Oceano Warranty - Confidence in quality, safety, and long-lasting performance.

Code	Size	Width (A) (Cut bar to size)	Depth (B)	Height (H) Glass	Height (H2) Include Bracket
PRS90RC	900	800-1220	845-865	2000	2032
PRS10RC	1000	800-1220	945-965	2000	2032
PRS12RC	1200	800-1220	1145-1165	2000	2032
PRCH1200	1200				

Support Bar Code: PRCH1200. (*To be cut to suit required size)

The Profile Walk-In Panel is a modular system designed for flexibility. To complete your installation, please order one glass panel and one support bar — each sold separately to suit your desired layout and size.




POP UP/PULL OUT 40MM OVERFLOW BATH WASTE

ITEM CODE: OCG25-70WH (GLOSS WHITE FINISH)
OCG25-70MW (MATTE WHITE FINISH)

- Sleek and minimal design
- Easy operation: just push to open or close
- Pull out removable cartridge for cleaning
- Prevents flooding via overflow
- Removable waste cap
- Suits all Oceano Freestanding Baths with Overflow

CARE AND MAINTENANCE

All surfaces should be frequent cleaned with a mixture of mild, pH neutral soap and warm water with a soft cloth - Do not use abrasive clothes, scouring pads on surfaces- Do not use harsh cleaning agents i.e. cream cleaners or citrus based cleaners.



TERMS & CONDITIONS

Dimensions

All dimensions are stated in millimetres (mm) and are nominal sizes. Variations may occur due to the manufacturing process. Care should be taken to check sizing prior to installation.

Returns

The customer will be deemed to have accepted the goods as being in accordance with the order unless Oceano Bathroom Pty Ltd is notified of its claim within seven (7) days of receipt of the goods. All returns must be authorised by an Oceano Bathroom Pty Ltd official representative prior to the goods being returned.

For any credit claim to be considered (and processed), Oceano Bathroom Pty Ltd must be provided with the following:

- Oceano Bathroom Pty Ltd invoice number and delivery docket number
- Clear description of the goods
- Reason for return
- Amount being claimed
- Oceano Bathroom Pty Ltd standard restocking fee is 15%. Returns without notification will not be accepted

Warranty

Oceano Bathroom Pty Ltd will at its election, pursuant to its obligations under the Competition and Consumer Act 2010, repair or replace the defective product or part, and make appropriate adjustment.

The warranty shall expire after the set period from the date of original purchase, where a product is covered by this warranty.

This warranty is subject to the conditions and exclusions as listed below. Oceano Bathroom Pty Ltd warrants that products manufactured and distributed by Oceano Bathroom Pty Ltd will be free of inherent defects and materials and workmanship for the warranty period applicable to the product.

This warranty only applies within Australia and does not include removal or installation costs.



10 YEARS

Free Standing Baths



7 YEARS

Stonelite™
Polymarble
Shower Bases



7 YEARS

SMC Shower Bases



5 YEARS

Acrylic Baths
Inset Baths



5 YEARS

Shower Screens



Shower Screen: 900x900 Chrome Louve
Front and Return
Shower Base: 900 x 900 Eco

SHOWER BASES

BATHS

SHOWER SCREENS



SCAN ME

Oceano Bathroom

19A Kitchen Road
Dandenong South VIC 3175

Tel (03) 9791 7782

Email sales@oceano.com.au

oceano.com.au

oceano
BATHROOM